

AENOR

Keymark Certificate Thermal insulation



020/003872

AENOR certifies that the organization

SYNTHESIA TECHNOLOGY EUROPE, S.L.U.

registered office CL ARGENT, 3 - AREA INDUSTRIAL DE LLOBREGAT 08755 CASTELLBISBAL
(Barcelona - España)

supplies In-situ formed sprayed rigid polyurethane (PUR) and polyisocyanurate
(PIR) foam products. Rigid foam spray system before installation

in compliance with UNE-EN 14315-1:2013 (EN 14315-1:2013)

Trade Mark Poliuretán Spray S-OC-008E

See annex for more information.

Production site CL ARGENT, 3 - AREA INDUSTRIAL DE LLOBREGAT 08755 CASTELLBISBAL
(Barcelona - España)

Certification scheme In order to grant this Certificate, AENOR has tested the product and has
verified the quality system implemented for its manufacture. AENOR
performs these tasks periodically while the Certificate has not been
cancelled, in accordance with Specific Rules RP 020.05.

This certificate supersedes 020/003872, dated 2018-06-01

First issued on 2018-03-27
Modified on 2018-12-13
Validity date 2023-03-27

Rafael GARCÍA MEIRO
Chief Executive Officer

AENOR

Keymark Certificate Thermal insulation

020/003872

Annex to Certificate

Trade Mark Poliuretán Spray S-OC-008E

Type of facing	Thickness (mm)	Thermal Conductivity (W/mK)	Thermal resistance (m ² K/W)	Reaction to fire class	Designation code
Not coated cut aged foam	50	0,038	1,30	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	55	0,038	1,45	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	60	0,038	1,55	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	65	0,038	1,70	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	70	0,038	1,85	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	75	0,038	1,95	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	80	0,038	2,10	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	85	0,038	2,20	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	90	0,038	2,35	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	95	0,038	2,50	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	100	0,038	2,60	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	105	0,038	2,75	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	110	0,038	2,90	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	115	0,038	3,00	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	120	0,038	3,15	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	125	0,038	3,30	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	130	0,038	3,40	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5

First issued on 2018-03-27
Modified on 2018-12-13
Validity date 2023-03-27

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

Product certification body accredited by ENAC, number 01/C-PR272

AENOR

Keymark Certificate Thermal insulation

020/003872

Annex to Certificate

Type of facing	Thickness (mm)	Thermal Conductivity (W/mK)	Thermal resistance (m ² K/W)	Reaction to fire class	Designation code
Not coated cut aged foam	135	0,038	3,55	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	140	0,038	3,70	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	145	0,038	3,80	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	150	0,038	3,95	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	155	0,038	4,10	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	160	0,038	4,20	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	165	0,038	4,35	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	170	0,038	4,45	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	175	0,038	4,60	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	180	0,038	4,75	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	185	0,038	4,85	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	190	0,038	5,00	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	195	0,038	5,15	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	200	0,038	5,25	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	205	0,038	5,40	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	210	0,038	5,55	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	215	0,038	5,65	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5
Not coated cut aged foam	220	0,038	5,80	E	PU-EN 14315-1-CCC1-CT5(22)-GT11(22)-TFT14(22)-FRB8(22)-W16-MU5

First issued on 2018-03-27
Modified on 2018-12-13
Validity date 2023-03-27

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

Product certification body accredited by ENAC, number 01/C-PR272